

THROUGH HOLE COMMON MODE CHOKES

Suited for LAN and Telecom Applications

Features:

- Reduces radiated EMI emissions
- Filters common mode noise for E
- Common mode attenuation from 100KHz to 1 GHz

Electrical Specifications @ 25°C-- Operating Temperature 0°Cto70°C

Part Number	No.Of Lines	Primary inductance OCL (uH MIN)	Common Mode Attenuation (dB TYP)									DCR (Ω MAX)
			100KHz	1MHz	10MHz	30MHz	50MHz	100MHz	300MHz	500MHz	1GHz	
SR-MC65944	2	24	1	14	28	32	33	28	13	5	-	0.30
SR-MC107	2	68	8	25	33	32	30	27	18	12	-	0.20
SR-MC67531	2	140	14	34	45	49	50	47	38	32	25	0.60
SR-MC87	3	69	8	22	29	29	28	26	20	15	-	0.20
SR-MC65554	4	24	0	21	32	38	39	34	24	13	-	0.30
SR-MC4000	4	36	14	24	37	40	40	38	30	24	-	0.20
SR-MC67501	4	50	7	34	45	49	50	47	20	15	10	0.30
SR-MC68002	4	68	8	24	37	41	42	40	31	27	-	0.35
SR-MC65542	4	1000	28	41	42	32	22	-	-	-	-	0.70
SR-MC65950	4	4700	40	51	37	28	23	20	-	-	-	1.00
SR-MC65541	4	6000	44	54	33	32	29	-	-	-	-	1.40
SR-MC68613	4	3290	40	51	37	28	23	20	-	-	-	1.00
SR-MC64683	6	25	6	18	32	38	37	32	21	17	-	0.35
SR-MC106	6	85	8	23	30	29	28	27	21	15	-	0.20